



for an excellent finish

# Discs: VC 154-Longlife VEL

Light weight velour-backed paper discs with anti-clogging coating

## Product benefits

- Low clogging behavior
- Excellent adaptability for grinding contours
- High process stability due to uniform roughness values and stock removal rate for the entire duration of usage
- Further advantages when using discs with MULTIHOLE dust extraction system: Longer service life compared to discs with conventional dust extraction system and significantly better surface quality due to dust extraction over the entire surface.
- Optimum dust extraction, especially when using MULTIHOLE discs
- Combination of MULTIHOLE disc and MULTIFLOW pad with better price/performance ratio compared to similar net abrasives

## Applications

### Automotive paint shop:

- Manual defect sanding with discs

### Furniture:

- Fine sanding of furniture parts by hand or with hand-operated sanding machines

### Automotive Repair Trade:

- Presanding and resanding spray-on putty
- Primer sanding of new parts
- Top coat repair sanding
- Blending in repaired areas



## Product design

Type:	VC 154-Longlife VEL
Grain:	Aluminum oxide
Bonding:	Synthetic resin, Longlife
Backing:	B-paper, velour-backed
Coating:	Half open
Grit range:	P 80/100/120/150/180/220/240/ 280/320/360/400/500/600/800 /1000/1200/1500







for an excellent finish

**Stock programme Discs: VC 154-Longlife VEL (Ø x Ø)**

 Punched, 6 x / Ø 80 mm with center hole  
**150 x 18 mm**

 Without middle hole  
**115 mm  
125 mm  
150 mm**





 Punched, 8 x / Ø 120 mm, with center hole  
**150 x 18 mm**


 Punched, 8 x / Ø 65 mm  
**125 mm**


 Very suitable

 Suitable

 Punched, 8 x / Ø 120 mm + 6 x / Ø 80 mm, with center hole  
**150 x 18 mm**

 Punched, 8 x / Ø 120 mm + 8 x / Ø 65 mm, with center hole  
**150 x 10 mm**

 Multihole  
**75 mm  
125 mm  
150 mm**

 Multihole, with center hole  
**150 x 16 mm  
200 x 16 mm**